

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

**Material name SYNTHETIC OIL 605** 

**Revision date** 30-May-2008 Product use Lubricating Oil **Manufacturer information** Nye Lubricants, Inc. 12 Howland Road

Fairhaven, MA 02179 US

508-996-6721

www.nyelubricants.com

**Emergency** CHEMTREC 1-800-424-9300

2. Hazards Identification

**Emergency overview** May be ignited by heat, sparks or flames. Contact with eyes may cause irritation.

Prolonged and/or repeated skin contact may result in mild irritation or redness.

This product is considered not hazardous under 29 CFR 1910.1200 (Hazard **OSHA** regulatory status

Communication).

Potential health effects

Routes of exposure Eye contact. Skin contact.

**Eyes** Contact with eyes may cause irritation.

Prolonged and/or repeated skin contact may result in mild irritation or redness. Skin

Inhalation Health injuries are not known or expected under normal use. Ingestion Health injuries are not known or expected under normal use.

Eyes. Skin. **Target organs** 

# 3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR

1910.1200.

4. First Aid Measures

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical

attention.

Skin contact Wash off with soap and water. Get medical attention if symptoms occur. Wash clothing

separately before reuse.

Inhalation If symptoms develop, remove affected person from source of exposure into fresh air. Get

immediate medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting

without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth to a victim who is unconscious or is

having convulsions.

5. Fire Fighting Measures

Hazardous combustion products

Suitable extinguishing media Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of

silicon. Oxides of phosphorus. Acrolein. Formaldehyde. Aldehydes. Ketones.

Protective equipment and Wear full protective clothing, including helmet, self-contained positive pressure or precautions for firefighters

pressure demand breathing apparatus, protective clothing and face mask. Use water spray to cool unopened containers. Move containers from fire area if you can do it without

risk.

Material name: SYNTHETIC OIL 605

MSDS US Material ID: 38 Revision date: 30-MAY-2008

#### 6. Accidental Release Measures

Observe precautions from other sections. Keep unnecessary personnel away. Do not Personal precautions

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

**Methods for containment** Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible.

Methods for cleaning up Soak up with inert absorbent material. Clean contaminated surface thoroughly. Clean up

spills immediately, observing precautions in Protective Equipment section. Sweep up and

shovel into suitable containers for disposal.

### 7. Handling and Storage

Do not handle or store near an open flame, heat or other sources of ignition. Do NOT Handling

> pressurize, cut, heat, or weld containers. Empty product containers may contain product residue. Avoid contact with eyes. Avoid prolonged or repeated skin contact with this material. Wash thoroughly after handling. Avoid breathing gas/vapors/mist/fumes. Do not

take internally. Do not taste or swallow.

Storage Keep away from heat and sources of ignition. Store in cool place. Store in a closed

container away from incompatible materials.

## 8. Exposure Controls / Personal Protection

### **Exposure limits**

#### **ACGIH**

None available

#### **OSHA**

None available

Use process enclosures, local exhaust ventilation, or other engineering controls to control **Engineering controls** 

airborne levels below recommended exposure limits.

Eye / face protection Wear safety glasses; chemical goggles (if splashing is possible).

Wear nitrile, neoprene, PVC or viton gloves. Wear suitable protective clothing. Skin protection

Respiratory protection No personal respiratory protective equipment normally required. An air purifying respirator

with an organic vapor cartridge may be used under certain circumstances where airborne concentrations are expected to exceed exposure limits, or if irritation or symptoms are experienced. Respiratory protection must be provided in accordance with 29 CFR

1910.134.

General hygeine considerations When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Launder

contaminated clothing before reuse. Keep away from food and drink.

### 9. Physical & Chemical Properties

Color Clear Odor Slight

**Odor threshold** Not available **Form** Liquid Not available рH

**Melting point** Not available Freezing point Not available **Boiling point** Not available

Flash point > 400 °F (> 204.4 °C) ASTM D-92

**Evaporation rate** Not available **Flammability** Not applicable Flammability limits in air, upper, % Not applicable

by volume

Flammability limits in air, lower, %

by volume

Not applicable

Not available Vapor pressure Not available Vapor density (air=1)

Material name: SYNTHETIC OIL 605 Material ID: 38 Revision date: 30-MAY-2008

MSDS US

Density1 g/cm³Solubility (water)Not availablePartition coefficientNot available

(n-octanol/water)

**Auto-ignition temperature** 

**Decomposition temperature** 

Not available Not available

# 10. Chemical Stability & Reactivity Information

Chemical stability Stable.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** Strong acids, alkalies and oxidizing agents.

Hazardous decomposition Carbon monoxide, carbon dioxide and/or lo

products

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of phosphorus. Oxides of silicon. Formaldehyde.

# 11. Toxicological Information

Acute effects Refer to Hazards Identification Section.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by

OSHA, IARC and NTP.

## 12. Ecological Information

**Ecotoxicity** This material is not expected to be harmful to aquatic life.

### 13. Disposal Considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility

of the user of the product to determine, at the time of disposal, whether the product meets

RCRA criteria for hazardous waste.

## 14. Transport Information

### **Department of Transportation (DOT) Requirements**

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (TRIPHENYL PHOSPHATE, TERT-BUTYLATED TRIPHENYL PHOSPHATE MIXTURES CONTAINING 10% TO 48% TRIPHENYL

PHOSPHATES)

Hazard class 9

UN number UN3082
Packing group III
Marine pollutant Yes

Exemptions 49 CFR 171.4(c)




Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (TRIPHENYL PHOSPHATE, TERT-BUTYLATED TRIPHENYL PHOSPHATE MIXTURES CONTAINING 10% TO 48% TRIPHENYL

PHOSPHATES)

Hazard class 9
UN number UN3082
Packing group III
Marine pollutant Yes





Material name: SYNTHETIC OIL 605

Material ID: 38 Revision date: 30-MAY-2008


#### **IATA**

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (TRIPHENYL PHOSPHATE, TERT-BUTYLATED TRIPHENYL PHOSPHATE MIXTURES CONTAINING 10% TO 48% TRIPHENYL

PHOSPHATES)

Hazard class 9
UN number UN3082
Packing group III



# 15. Regulatory Information

### **CERCLA (Superfund) reportable quantity**

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous

substance

Section 311 hazardous chemical

No

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations This product does not contain a chemical known to the State of California to cause cancer,

birth defects or other reproductive harm.

### 16. Other Information

**HMIS**® ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

Prepared by William M. Medeiros

Regulatory Affairs Manager

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication . The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Nye Lubricants, Inc. makes no warranty with respect thereto and disclaims all

liability with respect thereon.

**MSDS sections updated**This document has undergone significant changes and should be reviewed in its entirety.

Material name: SYNTHETIC OIL 605

Material ID: 38 Revision date: 30-MAY-2008