

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: SafeWork Australia Approved Code of Practice about the preparation of safety data sheets for hazardous chemicals (July 2018), which is an approved code of practice under section 274 of the Work Health and Safety Act

Issuing Date 11-May-2021 Revision Date 11-May-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name Air Filter Sealing Grease (6 oz.)

Product Code(s) 99-0704

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Grease

Uses advised against No information available

Details of manufacturer or importer

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency telephone number CHEMTREC (Australia): +61-290372994

SECTION 2: Hazards identification

GHS Classification

Skin sensitisation Category 1B - (H317)

Label elements

Exclamation mark



Signal word

(M)SDS Number UL-KN-007

Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Calcium petroleum sulfonate	61789-86-4	<=10
Diboron calcium tetraoxide	13701-64-9	<=5
Benzenesulfonic acid, C10-16-alkyl derivs., calcium	68584-23-6	<=3
salts		
Non-hazardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a doctor.

Ingestion Clean mouth with water. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to doctorsMay cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact. During fire,

Revision Date: 11-May-2021

gases hazardous to health may be formed.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Metal oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. Special danger

of slipping by leaking/spilling product.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labelled containers. Clean contaminated surface

thoroughly.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Use personal protection equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labelled containers. Keep container closed when not in use. Protect from sunlight. Store in

accordance with local regulations.

Incompatible materialsNone known based on information supplied.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	Australia	ACGIH TLV
Diboron calcium tetraoxide	-	STEL: 6 mg/m³ inhalable particulate
13701-64-9		matter
		TWA: 2 mg/m³ inhalable particulate
		matter

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact: Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable protective clothing.

Hand protection Wear suitable gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Tan grease
Physical state Solid
Colour Tan

Odour Mild Petroleum

Odour threshold No information available

pH No data available

Melting point / freezing point No data available

Initial boiling point and boiling > 315.6 °C

range

Flash point > 246.3 °C Cleveland Open Cup
Evaporation rate No data available
Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure
No data available
Vapour density
No data available

Relative density 0.96 g/cm³ **Water solubility** Insoluble in water

Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No data available
Volume available
Volume available
Volume available
Volume available
Volume available
Volume available
No data available
No data available
No data available
No data available

Explosive propertiesNo information available. **Oxidising properties**No information available.

Other information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

VOC 0 g/L No information available

Bulk density

No information available

No information available

SECTION 10: Stability and reactivity

Reactivity

Reactivity None under normal use conditions.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Contact with eyes may

cause irritation.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitisation by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

Revision Date: 11-May-2021

susceptible persons. (based on components). Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Numerical measures of toxicity - Product Information

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium petroleum sulfonate	> 20 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
-			
Benzenesulfonic acid,	-	> 4000 mg/kg (Rabbit)	-
C10-16-alkyl derivs., calcium			
salts			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation Classification based on data available for ingredients. May cause sensitisation by skin

contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Calcium petroleum sulfonate	-	LC50: 5.7 - 9.7mg/L	-	EC50: 6.2 - 12mg/L
		(96h, Pimephales		(48h, Daphnia magna)
		promelas)		
		LC50: 1.0 - 10.0mg/L		
		(96h, Pimephales		
		promelas)		

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

ADG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

National pollutant inventory

Subject to reporting requirement

Cabjest to reporting requirement		
Chemical name	National pollutant inventory	
Diboron calcium tetraoxide - 13701-64-9	10 tonne/yr Threshold category 1	

International Inventories

Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Issuing Date 11-May-2021

Revision Date 11-May-2021

Revision Note Initial Release.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet