SAFETY DATA SHEET



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

ArrowSpec 70086-M

Blue Filter Oil

Chem Arrow Corporation

13643 Live Oak Lane Irwindale, CA 91706 USA

Tel: +1-626-358-2255 Fax: +1-626-359-8190 www.chemarrow.com Emergency Contact Information: Chem Tel Inc. Tel: 1-800-255-3924 (North America) Tel: +1-813-248-0585 (All other countries)

SECTION 2: HAZARDS IDENTIFICATION

GHS Ratings:

GHS Precautions

There are no GHS ratings that apply to this product at this time.

SECTION 3: COMPOSITION INFORMATION ON CLASSIFIED INGREDIENTS

Component/Chemical Name	CAS No.	Weight Concentration %
Distillates, petroleum, hydrotreated heavy paraffinic	64742-54-7	40.00% - 50.00%
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	40.00% - 50.00%

The specific identity and exact concentration of any included proprietary ingredient is withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

Inhalation: If inhalation occurs, move the exposed person to fresh air. Avoid further inhalation and seek medical attention.

Eye Contact: In case of eye contact, flush the eyes with water for fifteen (15) minutes. If contact lenses are worn, quickly remove them, then flush the eyes with water. If irritation develops seek medical attention.

Skin Contact: In case of skin contact, remove contaminated clothing. Flush the skin with large amounts of water, then wash the skin with soap and water. If redness or irritation develops, seek medical attention.

Ingestion: If material is ingested, seek immediate medical attention. If vomiting occurs spontaneously, keep the head below the hips to prevent aspiration of liquid into the lungs.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

Haz Combustion Products: Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and other organic compounds will be evolved when the material undergoes combustion.

Fire Fighting Instructions: This material will burn. For fires involving this material, do not enter any enclosed or confined fire space without protective equipment including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Protective Measures: Eliminate all sources of ignition in vicinity of spilled material.

Spill Management: Stop the source of the release if you can do so without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

Reporting: Follow Local, State and Federal authority's regulations for reporting spills.

SECTION 7: HANDLING AND STORAGE

General Handling Information: Avoid contaminating soil or releasing this product into sewage, drainage system and bodies of water.

Container Warnings: Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition. Empty containers should be completely drained, properly closed and promptly returned to a drum reconditioner or disposed of properly.

Storage Conditions: Store in dry indoor area, preferably under mild temperature conditions. Store in original packaging. Keep container tightly closed when not in use. Avoid freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Distillates, petroleum, hydrotreated heavy paraffinic 64742-54-7	PEL (Oil mist) - 5 mg/m3	PEL (Oil mist) - 10 mg/m3	None established
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	PEL/TWA - 5 mg/m3	TLV/TWA - 5 mg/m3 TLV/STEL 10 mg/m3	CAL OSHA TWA - 5mg/m3

Engineering Controls: Use in a well ventilated area.

General Considerations: Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Eye/Face Protection: No special eye protection is normally required. Where splashing is possible, wear safety glasses with side shields as a good safety practice.

Skin Protection: No special protective clothing is normally required. Where splashing is possible, select protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested materials for protective gloves include: Nitrile Rubber, Silver Shield, Viton.

Respiratory Protection: No respiratory protection is normally required. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Attention: The data below are typical values and do not constitute a specification.

Appearance: Blue Odor: Petroleum Physical State: Liquid Vapor Pressure: Not determined Odor Threshold: Not determined Vapor Density: Not determined pH: Not applicable Specific Gravity: 0.85 Solubility: Oil Viscosity SUS @ 100 F: 200 +/- 40 Freezing Point: Not established Flash Point: 392°F,200°C Boiling Range: 260°C Evaporation Rate: Not determined Flammability Not determined Explosive Limits: Not determined Partition Coefficient (n-octanol/water): Not determined Autoignition Temperature: Not determined Decomposition Temperature: Not determined VOC (Concentrate) Grams/Liter: AQMD Rule 1144 does not apply

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Incompatibility With Other Materials: Avoid contact with: Strong oxidizers, strong acids.

Conditions to Avoid: Extreme temperatures, open flames.

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition Products: None known (None expected).

SECTION 11: TOXICOLOGICAL INFORMATION

Mixture Toxicity

Oral Toxicity LD50: 3,563mg/kg

 Component Toxicity (if applicable)

 64742-58-1
 Lubricating oils, petroleum, hydrotreated spent

 Oral LD50: 2,000 mg/kg (Rat)
 Dermal LD50: 4,480 mg/kg (Rabbit)

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

CAS Number	Description	<u>% Weight</u>	Carcinogen Rating
None			No data found

SECTION 12: ECOLOGICAL INFORMATION

Component Ecotoxicity

Distillates, petroleum,	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L
hydrotreated heavy paraffinic	48 Hr EC50 Daphnia magna: >1000 mg/L
Lubricating oils, petroleum, hydrotreated spent	96 Hr LC50 Brachydanio rerio: 79.6 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 3.2 mg/L [semi-static]

SECTION 13: DISPOSAL CONSIDERATION

Follow Local, State and Federal regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

UN Number

Packing Group

Agency	Proper Shipping Name
DOT	Not regulated as a hazardous material under 49 CFR.
IATA	NOT REGULATED AS DANGEROUS GOODS
IMDG	NOT REGULATED AS DANGEROUS GOODS

SECTION 15: REGULATORY INFORMATION

Regulatory lists searched:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Hazard Class

<u>Country</u>	Regulation	All Components Listed
CA	Canada DSL	No
US	CERCLA	No
CN	China Inventory (IECSC)	Yes
EU	EINECS	Yes
MY	Malaysia Inventory (EHS Register)	No
US	SARA 311/312	No
US	TSCA	Yes

SECTION 16: OTHER INFORMATION

Hazardous Material Information System (HMIS)



HMIS & NFPA Hazard Rating Legend * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH



National Fire Protection Association (NFPA)

Date Prepared: 12/10/19

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.